



**Pennsylvania Animal Diagnostic Laboratory System**  
PADLS - PVL  
Pennsylvania Veterinary Laboratory  
2305 N CAMERON ST  
HARRISBURG PA 17110  
Phone: (717) 787-8808

Visit us online at <http://padls.agriculture.pa.gov/>

Report Date: 1/20/2026

### Final Report

**Date Submitted:** 1/14/2026  
**Collection Date:** 1/12/2026

**Case Coordinator:** Nancy Lill

**Accession No:** S2601863

GRETCHEN KOCHER  
262-594-5533  
AUBURN PA 17922

Phone: (717) 787-8808  
Email: [padls@agriculture.pa.gov](mailto:padls@agriculture.pa.gov)

### Associated Parties

Veterinarian	JUSTIN L CUNFER	Vet Code:021383, BV012558
Vet Practice	CUNFER VETERINARY SERVICES	
Owner	GRETCHEN KOCHER	

### Reference Data

Location: 00QQBY9; PA54032L

Sample: 25 blood

### Lab Findings

#### Mammalian Serology

Specimen	Test Name	Result	S/P	PI
ENDLESS LOVE - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female				
Blood - 1	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	-0.001	
	Small ruminant lentivirus (cELISA)	NEG		5.4
JINSING - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female				
Blood - 2	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	-0.001	
	Small ruminant lentivirus (cELISA)	NEG		7.2
FUNSHINE CARABEAR - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female				
Blood - 3	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.001	
	Small ruminant lentivirus (cELISA)	NEG		4.7
SWISS MOCHA - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female				
Blood - 4	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.003	
	Small ruminant lentivirus (cELISA)	NEG		9.2
PIPSQUEAK - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female				
Blood - 5	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.001	
	Small ruminant lentivirus (cELISA)	NEG		8.6
MERCY ME - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female				
Blood - 6	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.003	
	Small ruminant lentivirus (cELISA)	NEG		15.3





Specimen	Test Name	Result	S/P	PI
<b>KISSIMMEE - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 7	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.002	
	Small ruminant lentivirus (cELISA)	NEG		7.9
<b>FOXGLOVE - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 8	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0	
	Small ruminant lentivirus (cELISA)	NEG		10.0
<b>HIS GRACE - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 9	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0	
	Small ruminant lentivirus (cELISA)	NEG		8.4
<b>BO-KATAN - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 10	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.016	
	Small ruminant lentivirus (cELISA)	NEG		9.4
<b>SILVERMIST - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 11	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.001	
	Small ruminant lentivirus (cELISA)	NEG		8.7
<b>BISCOTTI - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 12	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.004	
	Small ruminant lentivirus (cELISA)	NEG		10.0
<b>HOT MOCHA - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 13	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.002	
	Small ruminant lentivirus (cELISA)	NEG		9.5
<b>LAVAZZA - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 14	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0	
	Small ruminant lentivirus (cELISA)	NEG		18.0
<b>SNIPS - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 15	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	-0.002	
	Small ruminant lentivirus (cELISA)	NEG		5.4
<b>CHARI - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Female</b>				
Blood - 16	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	-0.001	
	Small ruminant lentivirus (cELISA)	NEG		9.6
<b>VERSACE - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 17	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.008	
	Small ruminant lentivirus (cELISA)	NEG		14.2
<b>SPIDERROLL - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 18	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.001	
	Small ruminant lentivirus (cELISA)	NEG		-1.2
<b>ALPH LYNCIS - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 19	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0	
	Small ruminant lentivirus (cELISA)	NEG		8.8





Specimen	Test Name	Result	S/P	PI
<b>MAROCCHINO - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 20	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.009	
	Small ruminant lentivirus (cELISA)	NEG		4.8
<b>DOC BROWN - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 21	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.005	
	Small ruminant lentivirus (cELISA)	NEG		7.8
<b>COMESAILAWAY - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 22	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0	
	Small ruminant lentivirus (cELISA)	NEG		7.0
<b>CHURRO - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 23	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	-0.003	
	Small ruminant lentivirus (cELISA)	NEG		6.7
<b>DARTH VADER - Mammalian - Caprine / goat - Goat - Nigerian Dwarf - Male</b>				
Blood - 24	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	0.009	
	Small ruminant lentivirus (cELISA)	NEG		7.8
<b>AMBROSIA - Mammalian - Caprine / goat - Goat - Boer - Female</b>				
Blood - 25	Caseous Lymphadenitis (SHI)	NEG		
	Mycobacterium paratuberculosis : Johne's Disease (ELISA)	NEG	-0.003	
	Small ruminant lentivirus (cELISA)	NEG		8.4

Small ruminant  
lentivirus(cELISA):

The Small Ruminant Lentivirus (SRLV) Antibody Test Kit, cELISA is a competitive, enzyme-linked, immunosorbent assay that detects antibodies to caprine arthritis encephalitis (CAEV) in goat sera or ovine progressive pneumonia virus (OPPV) in sheep sera. Serum samples with percent inhibition (PI) of equal to or greater than 35%, are classified "POSITIVE". Serum samples with percent inhibition (PI) of less than 35%, are classified as "NEGATIVE".

Mycobacterium paratuberculosis : Johne's  
Disease(ELISA):

ELISA test for Johne's disease measures antibody response in milk and serum. To control or monitor Johne's disease, it is important to start with screening strategies like ELISA but use of organism based tests on rotational or combination basis ensures better success in management of the disease. Positive ELISA tests should be confirmed with organism based tests. Paired comparisons have shown that up to 5-6% animals that are positive with serum ELISA can still be negative on milk ELISA. Furthermore, some of the low shedders and rarely few high shedders may never be positive with Johne's Milk/Serum ELISA tests but still can keep spreading the disease on farms. Animals reported with S/P values >1.00 are more likely to have Johne's even though they may still be subclinical. All animals reported as suspect should be retested, monitored and/or followed with fecal culture to determine their infection status.

Interpretation Serum Negative S/P = 0.45; Suspect > 0.45-0.55; Positive =0.55

Interpretation Milk Negative S/P = 0.20; Suspect < 0.20 - 0.30; Positive =0.30

Caseous  
Lymphadenitis(SHI):

Detection of antibodies to *Corynebacterium pseudotuberculosis* exotoxin, the causative agent of caseous lymphadenitis, by synergistic hemolysin inhibition, performed at 1:8, 1:16, 1:32 and 1:64 dilutions. Positive samples with titers listed as 64 are actually > or = to 1:64.

The SHI test is intended as a herd test since the results for an individual animal can be misinterpreted. SHI cannot distinguish between field exposure, resolved infection or vaccination antibodies. Recently infected animals may not elicit a detectable antibody response. Kids and lambs should be at least 6 months old before testing because of the possible presence of maternal antibodies. For biosecurity purposes, it is recommended that new animals be tested for CLA prior to introducing them into a herd. It is preferable to test the herd of origin. Herds with a





**Pennsylvania Animal Diagnostic Laboratory System**  
PADLS - PVL  
Pennsylvania Veterinary Laboratory  
2305 N CAMERON ST  
HARRISBURG PA 17110  
Phone: (717) 787-8808

Visit us online at <http://padls.agriculture.pa.gov/>

high incidence of positive SHI results strongly suggest the presence of the bacterium. Testing the blood of new animals before they are introduced to a herd or flock can reduce the likelihood of introducing a carrier animal.

#### Interpretation

The IDEXX ELISA kit was used for Johne's disease testing. The kit is not currently approved in the US but is approved in Europe for the diagnosis of ovine and caprine Johne's disease. The sensitivity of the ELISA in sheep and goats for Johne's diagnosis is 34.9% and 56.4%, with a specificity of 98.8% and 100.0%, respectively. The test has higher sensitivity than the AGID test and uses a cut-off value of  $\geq 0.55$  for positives. Fecal samples from suspect or positive animals can be cultured or tested by PCR for confirming the disease diagnosis.

*Corynebacterium pseudotuberculosis* infections can lead to false positives due to cross-reactive antibodies. The possibility of animals having caseous lymphadenitis (CL) or a previous exposure should also be considered when assessing Johne's ELISA positive lab results.

#### Client Report History

Report Type	Delivery Method	Sent To	Date Sent
Final	Email	GOATS@GRACEHILLFARMPA.COM	1/20/2026 8:38 AM

